

June 1998

Features

- 26A, -200V, RDS(on) = 0.200Ω
- Second Generation Rad Hard MOSFET Results From New Design Concepts
- Gamma
 - Meets Pre-Rad Specifications to 100KRAD(Si)
 - Defined End Point Specs at 300KRAD(Si) and 1000KRAD(Si)
 - Performance Permits Limited Use to 3000KRAD(Si)
- Gamma Dot
 - Survives 3E9RAD(Si)/sec at 80% BVDSS Typically
 - Survives 2E12 Typically If Current Limited to IDM
- Photo Current
 - 18.0nA Per-RAD(Si)/sec Typically
- Neutron
 - Pre-RAD Specifications for 1E13 Neutrons/cm²
 - Usable to 1E14 Neutrons/cm²

Description


The Intersil Corporation Sector has designed a series of SECOND GENERATION hardened power MOSFETs of both N and P channel enhancement types with ratings from 100V to 500V, 1A to 60A, and on resistance as low as 25mΩ. Total dose hardness is offered at 100K RAD(Si) and 1000KRAD(Si) with neutron hardness ranging from 1E13n/cm² for 500V product to 1E14n/cm² for 100V product. Dose rate hardness (GAMMA DOT) exists for rates to 1E9 without current limiting and 2E12 with current limiting.

This MOSFET is an enhancement-mode silicon-gate power field effect transistor of the vertical DMOS (VDMOS) structure. It is specially designed and processed to exhibit minimal characteristic changes to total dose (GAMMA) and neutron (n⁰) exposures. Design and processing efforts are also directed to enhance survival to heavy ion (SEE) and/or dose rate (GAMMA DOT) exposure.


This part may be supplied as a die or in various packages other than shown above. Reliability screening is available as either non TX (commercial), TX equivalent of MIL-S-19500, TXV equivalent of MIL-S-19500, or space equivalent of MIL-S-19500. Contact the Intersil Corporation High-Reliability Marketing group for any desired deviations from the data sheet.

Package

TO-204AE



Symbol



Absolute Maximum Ratings (TC = +25°C) Unless Otherwise Specified

| | FRK9260D, R, H | UNITS |
|-------------------------------------------------------------------|----------------|-------|
| Drain-Source Voltage | -200 | V |
| Drain-Gate Voltage (RGS = 20kΩ). | -200 | V |
| Continuous Drain Current | | |
| TC = +25°C | 26 | A |
| TC = +100°C | 17 | A |
| Pulsed Drain Current | 78 | A |
| Gate-Source Voltage | ±20 | V |
| Maximum Power Dissipation | | |
| TC = +25°C | 300 | W |
| TC = +100°C | 120 | W |
| Derated Above +25°C | 2.40 | W/°C |
| Inductive Current, Clamped, L = 100μH, (See Test Figure). | 78 | A |
| Continuous Source Current (Body Diode) | 26 | A |
| Pulsed Source Current (Body Diode) | 78 | A |
| Operating And Storage Temperature | -55 to +150 | °C |
| Lead Temperature (During Soldering) | | |
| Distance > 0.063 in. (1.6mm) From Case, 10s Max. | 300 | °C |

FRK9260D, FRK9260R, FRK9260H

Pre-Radiation Electrical Specifications TC = +25°C, Unless Otherwise Specified

| PARAMETER | SYMBOL | TEST CONDITIONS | LIMITS | | UNITS |
|---------------------------------|-------------------------|-----------------------------------------------------------------------------------|-------------|--------------------|-------|
| | | | MIN | MAX | |
| Drain-Source Breakdown Volts | BVDSS | VGS = 0, ID = 1mA | -200 | - | V |
| Gate-Threshold Volts | VGS(th) | VDS = VGS, ID = 1mA | -2.0 | -4.0 | V |
| Gate-Body Leakage Forward | IGSSF | VGS = -20V | - | 100 | nA |
| Gate-Body Leakage Reverse | IGSSR | VGS = +20V | - | 100 | nA |
| Zero-Gate Voltage Drain Current | IDSS1 IDSS2 IDSS3 | VDS = -200V, VGS = 0 VDS = -160V, VGS = 0 VDS = -160V, VGS = 0, TC = +125°C | - - - | 1 0.025 0.25 | mA |
| Rated Avalanche Current | IAR | Time = 20μs | - | 78 | A |
| Drain-Source On-State Volts | VDS(on) | VGS = -10V, ID = 26A | - | -5.46 | V |
| Drain-Source On Resistance | RDS(on) | VGS = -10V, ID = 17A | - | 0.200 | Ω |
| Turn-On Delay Time | td(on) | VDD = -100V, ID = 26A | - | 150 | ns |
| Rise Time | tr | Pulse Width = 3μs | - | 800 | |
| Turn-Off Delay Time | td(off) | Period = 300μs, Rg = 10Ω | - | 700 | |
| Fall Time | tf | 0 ≤ VGS ≤ 10 (See Test Circuit) | - | 500 | |
| Gate-Charge Threshold | QG(th) | VDD = -100V, ID = 26A IGS1 = IGS2 0 ≤ VGS ≤ 20 | 6 | 26 | nc |
| Gate-Charge On State | QG(on) | | 97 | 388 | |
| Gate-Charge Total | QGM | | 185 | 740 | |
| Plateau Voltage | VGP | | -2 | -10 | V |
| Gate-Charge Source | QGS | | 15 | 60 | nc |
| Gate-Charge Drain | QGD | | 33 | 132 | |
| Diode Forward Voltage | VSD | ID = 26A, VGD = 0 | -0.6 | -1.8 | V |
| Reverse Recovery Time | TT | I = 26A; di/dt = 100A/μsD | - | 1200 | ns |
| Junction-To-Case | Rθjc | | - | 0.42 | °C/W |
| Junction-To-Ambient | Rθja | Free Air Operation | - | 30 | |




FIGURE 1. RESISTIVE SWITCHING TEST CIRCUIT




FIGURE 2. UNCLAMPED ENERGY TEST CIRCUIT

FRK9260D, FRK9260R, FRK9260H







Post-Radiation Electrical Specifications TC = +25°C, Unless Otherwise Specified

| PARAMETER | SYMBOL | TYPE | TEST CONDITIONS | LIMITS | | UNITS | |
|---------------------------------|----------------|---------|-----------------|----------------------|------|-------|----|
| | | | | MIN | MAX | | |
| Drain-Source Breakdown Volts | (Note 4, 6) | BVDSS | FRK9260D, R | VGS = 0, ID = 1mA | -200 | - | V |
| | (Note 5, 6) | BVDSS | FRK9260H | VGS = 0, ID = 1mA | -190 | - | V |
| Gate-Source Threshold Volts | (Note 4, 6) | VGS(th) | FRK9260D, R | VGS = VDS, ID = 1mA | -2.0 | -4.0 | V |
| | (Note 3, 5, 6) | VGS(th) | FRK9260H | VGS = VDS, ID = 1mA | -2.0 | -6.0 | V |
| Gate-Body Leakage Forward | (Note 4, 6) | IGSSF | FRK9260D, R | VGS = -20V, VDS = 0 | - | 100 | nA |
| | (Note 5, 6) | IGSSF | FRK9260H | VGS = -20V, VDS = 0 | - | 200 | nA |
| Gate-Body Leakage Reverse | (Note 2, 4, 6) | IGSSR | FRK9260D, R | VGS = 20V, VDS = 0 | - | 100 | nA |
| | (Note 2, 5, 6) | IGSSR | FRK9260H | VGS = 20V, VDS = 0 | - | 200 | nA |
| Zero-Gate Voltage Drain Current | (Note 4, 6) | IDSS | FRK9260D, R | VGS = 0, VDS = -160V | - | 25 | μA |
| | (Note 5, 6) | IDSS | FRK9260H | VGS = 0, VDS = -160V | - | 100 | μA |
| Drain-Source On-State Volts | (Note 1, 4, 6) | VDS(on) | FRK9260D, R | VGS = -10V, ID = 26A | - | -5.46 | V |
| | (Note 1, 5, 6) | VDS(on) | FRK9260H | VGS = -16V, ID = 26A | - | -8.19 | V |
| Drain-Source On Resistance | (Note 1, 4, 6) | RDS(on) | FRK9260D, R | VGS = -10V, ID = 17A | - | 0.200 | Ω |
| | (Note 1, 5, 6) | RDS(on) | FRK9260H | VGS = -14V, ID = 17A | - | 0.300 | Ω |

NOTES:

1. Pulse test, 300μs max
2. Absolute value
3. Gamma = 300KRAD(Si)
4. Gamma = 10KRAD(Si) for "D", 100KRAD(Si) for "R". Neutron = 1E13
5. Gamma = 1000KRAD(Si). Neutron = 1E13
6. Insitu Gamma bias must be sampled for both VGS = -10V, VDS = 0V and VGS = 0V, VDS = 80% BVDSS
7. Gamma data taken 6/12/90 on TA 17762 devices by GE ASTRO SPACE; EMC/SURVIVABILITY LABORATORY; KING OF PRUSSIA, PA 19401
8. Single event drain burnout testing by Titus, J.L., et al of NWSC, Crane, IN at Brookhaven Nat. Lab. Dec 11-14, 1989
9. Neutron derivation, Intersil Application note AN-8831, Oct. 1988

Typical Performance Characteristics



Rad Hard Data Packages - Intersil Power Transistors

TXV Equivalent

1. Rad Hard TXV Equivalent - Standard Data Package

- A. Certificate of Compliance
- B. Assembly Flow Chart
- C. Preconditioning - Attributes Data Sheet
- D. Group A - Attributes Data Sheet
- E. Group B - Attributes Data Sheet
- F. Group C - Attributes Data Sheet
- G. Group D - Attributes Data Sheet

2. Rad Hard TXV Equivalent - Optional Data Package

- A. Certificate of Compliance
- B. Assembly Flow Chart
- C. Preconditioning - Attributes Data Sheet
 - Precondition Lot Traveler
 - Pre and Post Burn-In Read and Record Data
- D. Group A - Attributes Data Sheet
 - Group A Lot Traveler
- E. Group B - Attributes Data Sheet
 - Group B Lot Traveler
 - Pre and Post Read and Record Data for Intermittent Operating Life (Subgroup B3)
 - Bond Strength Data (Subgroup B3)
 - Pre and Post High Temperature Operating Life Read and Record Data (Subgroup B6)
- F. Group C - Attributes Data Sheet
 - Group C Lot Traveler
 - Pre and Post Read and Record Data for Intermittent Operating Life (Subgroup C6)
 - Bond Strength Data (Subgroup C6)
- G. Group D - Attributes Data Sheet
 - Group D Lot Traveler
 - Pre and Post RAD Read and Record Data

- E. Preconditioning Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - HTRB - Hi Temp Gate Stress Post Reverse Bias Data and Delta Data
 - HTRB - Hi Temp Drain Stress Post Reverse Bias Delta Data

- F. Group A - Attributes Data Sheet
- G. Group B - Attributes Data Sheet
- H. Group C - Attributes Data Sheet
- I. Group D - Attributes Data Sheet

2. Rad Hard Max. "S" Equivalent - Optional Data Package

- A. Certificate of Compliance
- B. Serialization Records
- C. Assembly Flow Chart
- D. SEM Photos and Report
- E. Preconditioning - Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - HTRB - Hi Temp Gate Stress Post Reverse Bias Data and Delta Data
 - HTRB - Hi Temp Drain Stress Post Reverse Bias Delta Data
 - X-Ray and X-Ray Report
- F. Group A - Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - Subgroups A2, A3, A4, A5 and A7 Data
- G. Group B - Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - Subgroups B1, B3, B4, B5 and B6 Data
- H. Group C - Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - Subgroups C1, C2, C3 and C6 Data
- I. Group D - Attributes Data Sheet
 - Hi-Rel Lot Traveler
 - Pre and Post Radiation Data

Class S - Equivalents


1. Rad Hard "S" Equivalent - Standard Data Package

- A. Certificate of Compliance
- B. Serialization Records
- C. Assembly Flow Chart
- D. SEM Photos and Report

FRK9260D, FRK9260R, FRK9260H

TO-204AE

JEDEC TO-204AE HERMETIC STEEL PACKAGE



| SYMBOL | INCHES | | MILLIMETERS | | NOTES |
|-------------------|-----------|-------|-------------|-------|-------|
| | MIN | MAX | MIN | MAX | |
| A | 0.310 | 0.330 | 7.88 | 8.38 | - |
| A ₁ | 0.060 | 0.065 | 1.53 | 1.65 | - |
| $\varnothing b$ | 0.057 | 0.063 | 1.45 | 1.60 | 2, 3 |
| $\varnothing b_1$ | 0.138 | 0.145 | 3.51 | 3.68 | - |
| $\varnothing D$ | - | 0.800 | - | 20.32 | - |
| e | 0.215 TYP | | 5.46 TYP | | 4 |
| e ₁ | 0.430 BSC | | 10.92 BSC | | 4 |
| L | 0.440 | 0.480 | 11.18 | 12.19 | - |
| $\varnothing P$ | 0.155 | 0.160 | 3.94 | 4.06 | - |
| q | 1.187 BSC | | 30.15 BSC | | - |
| R | 0.495 | 0.525 | 12.58 | 13.33 | - |
| R ₁ | 0.131 | 0.185 | 3.33 | 4.69 | - |
| s | 0.655 | 0.675 | 16.64 | 17.14 | - |

NOTES:

1. These dimensions are within allowable dimensions of Rev. B of JEDEC TO-204AE outline dated 11-82.
2. Lead dimension (without solder).
3. Add typically 0.002 inches (0.05mm) for solder coating.
4. Position of lead to be measured 0.250 inches (6.35mm) from bottom of seating plane.
5. Controlling dimension: Inch.
6. Revision 2 dated 6-93.

All Intersil semiconductor products are manufactured, assembled and tested under **ISO9000** quality systems certification.

Intersil products are sold by description only. Intersil Corporation reserves the right to make changes in circuit design and/or specifications at any time without notice. Accordingly, the reader is cautioned to verify that data sheets are current before placing orders. Information furnished by Intersil is believed to be accurate and reliable. However, no responsibility is assumed by Intersil or its subsidiaries for its use; nor for any infringements of patents or other rights of third parties which may result from its use. No license is granted by implication or otherwise under any patent or patent rights of Intersil or its subsidiaries.

For information regarding Intersil Corporation and its products, see web site <http://www.intersil.com>

Sales Office Headquarters

NORTH AMERICA
Intersil Corporation
P. O. Box 883, Mail Stop 53-204
Melbourne, FL 32902
TEL: (407) 724-7000
FAX: (407) 724-7240

EUROPE
Intersil SA
Mercure Center
100, Rue de la Fusee
1130 Brussels, Belgium
TEL: (32) 2.724.2111
FAX: (32) 2.724.22.05

ASIA
Intersil (Taiwan) Ltd.
Taiwan Limited
7F-6, No. 101 Fu Hsing North Road
Taipei, Taiwan
Republic of China
TEL: (886) 2 2716 9310
FAX: (886) 2 2715 3029